



LOD - The logic of Descriptions

Sept 13,2023



LOD - The logic of Descriptions

- Introduction
- Domain
- Language
- Interpretation function
- Entailment
- Reasoning problems
- Entailment properties



LOD - The logic of Descriptions


- The Logic of Descriptions (LOD) allows us to reason about the concepts and roles that describe entities in the world.
- Thus, we do not represent and reason about specific entities, but, in a more abstract way, about the classes associated to their properties.
- LOD allows to reason about ETG's.
- Any LOE EG is built with reference to a LOD ETG.
- LOD is conceptually similar to the Logics of Description (DL)

LOD - The logic of Descriptions


In LOD we have the following ETG fact elements:

- An entity type (etype) is a class of entities (corresponding to the concept to which an entity belongs in a LOE EG);
- A datatype (dtype) is a class of (data) values (corresponding to the dtype to which a value belongs in a LOE EG);
- An Object Property describes a relation between two etypes (not between two entities, as in LOE)
- A Data Property, also called Attribute, describes a characteristic of an etype (not of an entity as in LOE);

An example of ETG



An example of EG for the previous ETG



LoD – The Logic of Descriptions - definition

We formally define LOD as follows

$$\text{LOD} = \langle \text{ETG}, \models_{\text{LOD}} \rangle$$

with

$$\text{ETG} = \langle \mathcal{L}_{\text{LOD}}, \mathcal{D}_{\text{LOD}}, \mathcal{I}_{\text{LOD}} \rangle$$

Below, any time no confusion arises, we drop the subscripts.



LOD - The logic of Descriptions

- Introduction
- Domain
- Language
- Interpretation function
- Entailment
- Types of theories
- Reasoning problems
- Entailment properties

LoD – Domain/facts

Definition (Domain, intensional definition)

$$Di = \langle E, \{C\}, \{R\} \rangle$$

where:

$$\begin{aligned}E &= \{e\} \cup \{\nu\} \\ \{C\} &= ET \cup DT \\ \{R\} &= \{OR\} \cup \{DR\}\end{aligned}$$

where E is a set of **entities** and **values**, $ET = \{E_T\}$, $E_T = \{e\}$ and $DT = \{D_T\}$, $D_T = \{\nu\}$ are **sets of entity types (etypes)** and **data types (dtypes)**, respectively, and OR , DR are **(binary) object and data relations**.

Observation. LOD allows for the following facts:

- Every etype ET or dtype DT is a fact, that is $ET \subseteq E$, $DT \subseteq E$.
- Every relation R populated by its two arguments is a fact, that is, $OR \subseteq ET_1 \times ET_2$, $DR \subseteq ET \times DT$.

Facts only have one of the four possible forms above

An example of domain of ETG (continued)

$ET = \{P, D, L, \text{entity}, \dots\}$

$DT = \{\text{Real}, \text{String}, \text{dtype}, \dots\}$


$\{R\} = \{hF, hD, hH, hB, hL, hU, \dots\}$

from which we construct the following facts in the domain:


$D = \{P \subseteq \text{entity}, \text{Real} \subseteq \text{dtype}, hF(P, P), D \subseteq \text{entity}, hD(P, D), hH(P, \text{Real}), \dots\}$

with, e.g., $hF(P, P)$ standing for $hF \subseteq P \times P$

An example of ETG – Venn diagram (continued)



An EG for the example ETG– Venn diagram





LOD - The logic of Descriptions

- Introduction
- Domain
- Language
- Interpretation function
- Entailment
- Reasoning problems
- Entailment properties

LoD – Language/wffs

Definition 11.4 (The language L)

$$L = La \cup Lc$$

with

$$La = LA \cup LAc$$

Observation 11.2 (LOE *versus* LOD) LOE allows for atomic assertions. LOD allows for (different) **atomic assertions (LA)**, for **complex assertions (LAc)** and also **complex formulas (Lc)**.



LoD – Assertions

Definition (The language of atomic assertions LA)

$$LA = \langle Aa, WA \rangle$$

where Aa is the alphabet and WA is the set of formation rules for generating complex assertions.

Definition 11.6 (Alphabet Aa) The alphabet of the atomic formula language contains the etype and dtype names and the names of the object and data properties:

$$Aa = \langle \emptyset, ET \cup DT, \{OP\} \cup \{DP\} \rangle$$

Assertions – BNF production rules

$\langle \text{assertion} \rangle ::= \langle \text{etype} \rangle \quad | \quad \langle \text{dtype} \rangle$

T | \perp |

$\exists \langle \text{objProp} \rangle . \langle \text{etype} \rangle \quad |$

$\exists \langle \text{dataProp} \rangle . \langle \text{dtype} \rangle \quad |$

$\forall \langle \text{objProp} \rangle . \langle \text{etype} \rangle \quad |$

$\forall \langle \text{dataProp} \rangle . \langle \text{dtype} \rangle$

***Compare
with
LOE***

$\langle \text{etype} \rangle ::= \text{ET1} \mid \dots \mid \text{ET}_n$

$\langle \text{dtype} \rangle ::= \text{DT1} \mid \dots \mid \text{DT}_n$


$\langle \text{objProp} \rangle ::= \text{OP1} \mid \dots \mid \text{OP}_n$

$\langle \text{dataProp} \rangle ::= \text{DP1} \mid \dots \mid \text{DP}_n$

Assertions – Example

- Person (*Intuition: the set of entities – in the domain of interpretation – which are called persons*)
- $\exists \text{hasFriend}.\text{Person}$ (*Intuition: the set of entities which have – at least – one friend who is a person*)
- Real (*Intuition: the set of reals*)
- $\exists \text{hasHeight}.\text{Real}$ (*Intuition: the set of entities which have their height - at least one – which measured as a real number*)
- $\forall \text{hasFriend}.\text{Person}$ (*Intuition: the set of entities whose friends are only persons*)

Example – how assertions represent ETG facts



LoD – Atomic wffs

Definition (The language of atomic formulas La)

$$La = \langle LA, Wa \rangle$$

where LA is the language of (atomic) assertions and Wa is a set of formation rules for generating complex assertions.

Definition 11.6 (Alphabet) The alphabet consists of all the formulas in LA

Complex assertions – BNF production rules

$\langle \text{awff} \rangle ::= \langle \text{assertion} \rangle$

$\langle \text{awff} \rangle ::= \langle \text{awff} \rangle \sqcap \langle \text{awff} \rangle \mid$

$\langle \text{awff} \rangle \sqcup \langle \text{awff} \rangle \mid$

$\neg \langle \text{awff} \rangle$

Complex assertions – Example

- Person $\sqcap \exists \text{hasFriend}.\text{Person}$ (*Intuition: the set of entities which are persons and have a friend which is a person*)
- Person $\sqcup \text{Dog}$ (*Intuition: the set of entities which are a person or a dog*)
- Person $\sqcap \neg(\exists \text{hasFriend}.\text{Person})$ (*Intuition: the set of entities which are persons and which do not have a friend which is a person*)

Complex assertions – Example concept names

Consider the following concept names:

Vehicle, Boat, Bicycle, Car, Device, Wheel, Engine, Axle, Rotation,
Water, Human, Driver, Adult, Child

Formalize the following natural language statements:

- Nothing (empty set): \perp
- Everything (All the interpretation domain): \top
- Humans and vehicles: $\text{Human} \sqcap \text{Vehicle}$
- Vehicles and not boats: $\text{Vehicle} \sqcap \neg \text{Boat}$
- Wheels or engines and humans: $(\text{Wheel} \sqcup \text{Engine}) \sqcap \text{Human}$
- Adults or children: $\text{Adult} \sqcup \text{Child}$

Complex assertions – Example roles

Consider the previous concept names plus the following role names:

hasPart, poweredBy, capableOf, travelsOn, controls

Formalize in DL the following natural language statements:

1. Those vehicles that have wheels and are powered by an engine
2. Those vehicles that have wheels and are powered by a human
3. Those vehicles that travel on water
4. Those objects which have no wheels
5. Those objects which do not travel on water
6. Those devices that have an axle and are capable of rotation
7. Those humans who control a vehicle
8. The drivers of cars

Complex assertions – Example roles

1. Vehicle $\sqcap \exists \text{hasPart}.\text{Wheel} \sqcap \exists \text{poweredBy}.\text{Engine}$
2. Vehicle $\sqcap \exists \text{hasPart}.\text{Wheel} \sqcap \exists \text{poweredBy}.\text{Human}$
3. Vehicle $\sqcap \exists \text{travelsOn}.\text{Water}$
4. $\forall \text{hasPart}. \neg \text{Wheel}$
5. $\forall \text{travelsOn}. \neg \text{Water}$
6. Device $\sqcap \exists \text{hasPart}.\text{Axe} \sqcap \exists \text{capableOf}.\text{Rotation}$
7. Human $\sqcap \exists \text{controls}.\text{Vehicle}$
8. Driver $\sqcap \exists \text{controls}.\text{Car}$

LoD – complex wffs (the full language)

Definition (The language of complex formulas L_c)

$$L_c = \langle L_a, W_c \rangle$$

where L_a is the language of complex assertions from above and W_c is a set of formula constructors

Definition (Alphabet) The alphabet is all the atomic formulas (atomic and complex assertions) in L_a

Complex formulas – BNF production rules

$$\begin{aligned} <\text{cwff}> ::= & \quad <\text{concept}> \sqsubseteq <\text{awff}> \mid \\ & <\text{concept}> \equiv <\text{awff}> \end{aligned}$$

where:

- $<\text{concept}>$: we restrict $<\text{concept}>$ to be an etype
- \sqsubseteq : subsumption relation
- \equiv : equivalence relation

NOTE: In most common logics in the literature we have $<\text{awff}>$ instead of $<\text{concept}>$.

Complex formulas

- $\langle \text{concept} \rangle \sqsubseteq \langle \text{awff} \rangle$
 - A **concept inclusion** (formula)
 - *To be read <concept> is subsumed by <awff>*
- $\langle \text{concept} \rangle \equiv \langle \text{awff} \rangle$
 - A **concept definition** (formula)
 - *To be read <concept> is equivalent to <awff>*

Complex formulas – concept inclusion examples

1. Boats have no wheels
2. Cars do not travel on water
3. Drivers are adults who control cars
4. Humans are not vehicles
5. Wheels are not humans
6. Humans are either adults or children
7. Adults are not children

Complex formulas – concept inclusion examples

1. Boat $\sqsubseteq \forall \text{hasPart}.\neg \text{Wheel}$
2. Car $\sqsubseteq \forall \text{travelsOn}.\neg \text{Water}$
3. Driver $\sqsubseteq \text{Adult} \sqcap \exists \text{controls}.\text{Car}$
4. Human $\sqsubseteq \neg \text{Vehicle}$
5. Wheel $\sqsubseteq \neg \text{Human}$
6. Human $\sqsubseteq \text{Adult} \sqcup \text{Child}$
7. Adult $\sqsubseteq \neg \text{Child}$

Complex formulas – definition examples

1. Cars are exactly those vehicles that have wheels and are powered by an engine
2. Bicycles are exactly those vehicles that have wheels and are powered by a human
3. Boats are exactly those vehicles that travel on water
4. Wheels are exactly those devices that have an axle and are capable of rotation
5. Drivers are exactly those humans who control a vehicle

Complex formulas – definition examples

1. Car \equiv Vehicle $\sqcap \exists \text{hasPart}.\text{Wheel} \sqcap \exists \text{poweredBy}.\text{Engine}$
2. Bicycle \equiv Vehicle $\sqcap \exists \text{hasPart}.\text{Wheel} \sqcap \exists \text{poweredBy}.\text{Human}$
3. Boat \equiv Vehicle $\sqcap \exists \text{travelsOn}.\text{Water}$
4. Wheel \equiv Device $\sqcap \exists \text{hasPart}.\text{Axe} \sqcap \exists \text{capableOf}.\text{Rotation}$
5. Driver \equiv Human $\sqcap \exists \text{controls}.\text{Vehicle}$



LOD - The logic of Descriptions

- Introduction
- Domain
- Language
- Interpretation function
- Entailment
- Reasoning problems
- Entailment properties

Interpretation of atomic formulas

$$I(T) = D$$

$$I(\perp) = \emptyset$$

$$I(A \sqcap B) = I(A) \cap I(B)$$


$$I(A \sqcup B) = I(A) \cup I(B)$$

$$I(\neg A) = D \setminus I(A)$$

$$I(\exists R.A) = \{d \in D \mid \text{there is an } e \in D \text{ with } (d, e) \in I(R) \text{ and } e \in I(A)\}$$

$$I(\forall R.A) = \{d \in D \mid \text{for all } e \in D \text{ if } (d, e) \in I(R) \text{ then } e \in I(A)\}$$

Interpretation function (Venn diagram) – example above



Most often we assume both universal and existential quantifier

The first does not imply the second (when premise of the first is never satisfied)

LOD - The logic of Descriptions

- Introduction
- Domain
- Language
- Interpretation function
- **Entailment**
- Types of theories
- Reasoning problems
- Entailment properties

Entailment relation

Definition (Entailment \models)

- $M \models w_1 \sqsubseteq w_2$ iff $I(w_1) \subseteq I(w_2)$
- $M \models w_1 \equiv w_2$ iff $I(w_1) = I(w_2)$
iff $I(w_1) \subseteq I(w_2)$ and $I(w_2) \subseteq I(w_1)$

With $w_1, w_2 \in La$;

NOTE 1: w_1 is not necessarily a concept

NOTE 2: The language of entailment (the QA language) extends the TELL language (see slides of QA system)

Entailment relation (extended)

Definition (Entailment $|=$)

1. $M \models w_1 \sqsubseteq w_2$ iff $I(w_1) \subseteq I(w_2)$
2. $M \models w_1 \equiv w_2$ iff $I(w_1) = I(w_2)$
iff $I(w_1) \subseteq I(w_2)$ and $I(w_2) \subseteq I(w_1)$
3. $M \models w_1 \sqsupseteq w_2$ iff $I(w_2) \subseteq I(w_1)$
4. $M \models w_1 \perp w_2$ iff $I(w_1) \cap I(w_2) \subseteq \emptyset$

with

- $w_1, w_2 \in L$;
- $w_1 \sqsupseteq w_2$ a notational variant of $w_2 \sqsubseteq w_1$;
- $w_1 \perp w_2$ a notational variant of $w_1 \sqsubseteq \neg w_2$



LOD - The logic of Descriptions

- Introduction
- Domain
- Language
- Interpretation function
- Entailment
- **Reasoning problems**
- Entailment properties

Reasoning problems (definition)

- Model checking
- Satisfiability with respect to T
- Subsumption with respect to T
- Equivalence with respect to T
- Disjointness with respect to T

Model checking

Model checking. Given I, M is a model of a theory T , where T is a set of complex formulas, if the following two conditions hold.

- If $C \sqsubseteq D \in T$, then $I(C) \subseteq I(D)$
- If $C \equiv D \in T$, then $I(C) = I(D)$

NOTE: A model checking problem

Satisfiability

Satisfiability with respect to T. A complex assertion C is satisfiable with respect to T if there exists an interpretation function I of T such that $I(C)$ is nonempty (i.e., $I(C)$ is a model).

In this case we say also that I is a model of C, with respect to T.


NOTE 1: T can also be empty (as with all the next reasoning problems)

NOTE 2: A satisfiability problem (I builds the model)

Satisfiability

Consider the Tbox

$$\mathcal{T} = \left\{ \begin{array}{l} \text{Undergraduate} \sqsubseteq \neg \text{Teach} \\ \text{Bachelor} \equiv \text{Student} \sqcap \text{Undergraduate} \\ \text{Master} \equiv \text{Student} \sqcap \neg \text{Undergraduate} \\ \text{PhD} \equiv \text{Master} \sqcap \text{Research} \\ \text{Assistant} \equiv \text{PhD} \sqcap \text{Teach} \end{array} \right.$$



Satisfiability

Example 1

Is $\text{Bachelor} \sqcap \text{PhD}$ satisfied by T ? (No)

The problem can be formalized as:

$$T \models \text{Bachelor} \sqcap \text{PhD}$$

Proof:

$$\text{Bachelor} \sqcap \text{PhD}$$

$$\equiv (\text{Student} \sqcap \text{Undergraduate}) \sqcap (\text{Master} \sqcap \text{Research})$$

$$\equiv (\text{Student} \sqcap \text{Undergraduate}) \sqcap ((\text{Student} \sqcap \neg \text{Undergraduate}) \sqcap \text{Research})$$

$$\equiv \text{Student} \sqcap \text{Undergraduate} \sqcap \neg \text{Undergraduate} \sqcap \text{Research}$$

$$\equiv \text{Student} \sqcap \perp \sqcap \text{Research}$$



Subsumption

Subsumption with respect to T A complex assertion C is subsumed by a complex assertion D with respect to T if

$$I(C) \subseteq I(D)$$

for every I (used to build models for T , with T possibly empty) .

In this case we write

$$C \sqsubseteq_T D$$

or

$$T \models C \sqsubseteq D$$


NOTE: A validity problem

Subsumption

Consider the Tbox

$$\mathcal{T} = \left\{ \begin{array}{l} \text{Undergraduate} \sqsubseteq \neg \text{Teach} \\ \text{Bachelor} \equiv \text{Student} \sqcap \text{Undergraduate} \\ \text{Master} \equiv \text{Student} \sqcap \neg \text{Undergraduate} \\ \text{PhD} \equiv \text{Master} \sqcap \text{Research} \\ \text{Assistant} \equiv \text{PhD} \sqcap \text{Teach} \end{array} \right.$$

It should be checked for all models of T



Subsumption

Example 2

Is $\text{PhD} \sqsubseteq \text{Student}$ satisfiable? (Yes)

The problem can be formalized as:

$$\mathcal{T} \models \text{PhD} \sqsubseteq \text{Student}$$

Proof:

PhD

$\equiv \text{Master} \sqcap \text{Research}$

$\equiv (\text{Student} \sqcap \neg \text{Undergraduate}) \sqcap \text{Research}$

$\sqsubseteq \text{Student}$

Equivalence

Equivalence with respect to T. Two complex assertions C and D are equivalent with respect to T if

$$I(C) = I(D)$$

for every model I (used to build models for T, with T possibly empty) .

In this case we write

$$C \equiv_T D$$

or

$$T \models C \equiv D$$


NOTE: A validity problem

Equivalence

Consider the Tbox

$$\mathcal{T} = \left\{ \begin{array}{l} \text{Undergraduate} \sqsubseteq \neg \text{Teach} \\ \text{Bachelor} \equiv \text{Student} \sqcap \text{Undergraduate} \\ \text{Master} \equiv \text{Student} \sqcap \neg \text{Undergraduate} \\ \text{PhD} \equiv \text{Master} \sqcap \text{Research} \\ \text{Assistant} \equiv \text{PhD} \sqcap \text{Teach} \end{array} \right.$$

It should be checked for all models of T



Equivalence

Example 3

Is $\text{Student} \equiv \text{Bachelor} \sqcup \text{Master}$ consistent with \mathcal{T} ? (Yes)

The problem can be formalized as:

$$\mathcal{T} \models \text{Student} \equiv \text{Bachelor} \sqcup \text{Master}$$

Proof:

$$\text{Bachelor} \sqcup \text{Master}$$

$$\equiv (\text{Student} \sqcap \text{Undergraduate}) \sqcup (\text{Student} \sqcap \neg \text{Undergraduate})$$

$$\equiv \text{Student} \sqcup (\text{Undergraduate} \sqcap \neg \text{Undergraduate})$$

$$\equiv \text{Student} \sqcup \top$$

$$\equiv \text{Student}$$

Disjointness

Disjointness with respect to T. Two complex assertions C and D are disjoint with respect to T if

$$I(C) \cap I(D) = \emptyset$$

for every I (used to build models for T, with T possibly empty) .

In this case we write

$$C \perp_T D$$

or

$$T \models C \perp D$$


NOTE: A validity problem

Disjointness

Consider the Tbox

$$\mathcal{T} = \left\{ \begin{array}{l} \text{Undergraduate} \sqsubseteq \neg \text{Teach} \\ \text{Bachelor} \equiv \text{Student} \sqcap \text{Undergraduate} \\ \text{Master} \equiv \text{Student} \sqcap \neg \text{Undergraduate} \\ \text{PhD} \equiv \text{Master} \sqcap \text{Research} \\ \text{Assistant} \equiv \text{PhD} \sqcap \text{Teach} \end{array} \right.$$

It should be checked for all models of \mathcal{T}



Disjointness

Example 4

Is $\text{Undergraduate} \sqcap \text{Assistant} \sqsubseteq \perp$ consistent with \mathcal{T} ? (Yes)

The problem can be formalized as:

$$\mathcal{T} \models \text{Undergraduate} \sqcap \text{Assistant} \sqsubseteq \perp$$

Proof:

$$\text{Undergraduate} \sqcap \text{Assistant}$$

$$\sqsubseteq \neg \text{Teach} \sqcap \text{Assistant}$$

$$\equiv \neg \text{Teach} \sqcap (\text{PhD} \sqcap \text{Teach})$$

$$\equiv \perp \sqcap \text{PhD}$$

$$\equiv \perp$$

Reasoning problems (Reduction)

- **Model checking.** Core Q/A functionality (see LOE)
- **Equivalence.** $C \equiv_T D$ iff $C \sqsubseteq_T D$ and $D \sqsubseteq_T C$
- **Subsumption.** $C \sqsubseteq_T D$ iff $C \sqcap \neg D$ is *unsatisfiable* with respect to T
- **Disjointness.** $C \perp_T D$ iff $C \sqcap D$ is *unsatisfiable*

Observation

- LOD reasoning can be implemented as *LOD satisfiability* (see above)
- LOD satisfiability can be implemented as Truth Table satisfiability (see later)



LOD - The logic of Descriptions

- Introduction
- Domain
- Language
- Interpretation function
- Entailment
- Reasoning problems
- **Entailment properties**

Observations (Logical entailment – properties)

Intuition (Reflexivity): $w \models w$ YES!

Intuition (Cut): If $\Gamma \models w_1$ and $\Sigma \cup \{w_1\} \models w_2$ then $\Gamma \cup \Sigma \models w_2$ YES!

Intuition (Compactness)

If $\Gamma \models w$ then there is a finite subset $\Gamma_0 \subseteq \Gamma$ such that $\Gamma_0 \models w$. YES!

Intuition (Monotonicity): If $\Gamma \models w$ then $\Gamma \cup \Sigma \models w$ YES!

Intuition (NonMonotonicity) $\Gamma \models w$ and $\Gamma \cup \Sigma \not\models w$ NO!



LOD - The logic of Descriptions

Sept 13, 2023